

Contents Volume 102, 1992

Research Papers

- An association between organic matter and localised, prehnite–pumpellyite alteration, at Builth Wells, Wales, U.K.
R. Metcalfe, D. Banks and S.H. Bottrell (Leeds, U.K.) 1
- Combined isotopic and biomarker investigations of temperature- and facies-dependent variations in the Kupferschiefer of the Lower Rhine Basin, northwestern Germany
A. Bechtel (Bonn, Federal Republic of Germany) and W. Püttmann (Aachen, Federal Republic of Germany) 23
- Determination of gold in geological samples by anodic stripping voltammetry at field locations
G.E.M. Hall and J.E. Vaive (Ottawa, Ont., Canada) 41
- Interactions of gold(III) chloride and elemental gold with peat-derived humic substances
M.L. Machesky (Champaign, Ill., U.S.A.), W.O. Andrade (Rio de Janeiro, Brazil) and A.W. Rose (University Park, Pa., U.S.A.) 53
- Phosphorus trapping by turbidites in deep-lake sediments
D. Span, J. Dominik, J.L. Loizeau (Versoix, Switzerland), N. Belzile (Genève, Switzerland) and J.-P. Vernet (Versoix, Switzerland) 73
- Redistribution of Cu, Zn, Pb and Ba in the Bollibokka Group, East Shasta, California, U.S.A.: Implications for metallogeny and geochemical balances
C.J. Eastoe (Tucson, Ariz., U.S.A.) 83
- Microbial green marine clay from Izu–Bonin (west Pacific) deep-sea sediments
K. Tazaki (Shimane, Japan) and W.S. Fyfe (London, Ont., Canada) 105
- Stable isotopic composition of an evaporite dissolution breccia in the Lower Viséan limestones of SE Belgium
Ph. Muchez, C. Peeters, W. Viaene (Leuven, Belgium) and E. Keppens (Brussels, Belgium) 119
- Improved HPLC method for the separation of Rb and Sr in connection with Rb–Sr dating
H. Stray (Kjeller, Norway) 129

Isotope Geoscience Section

Research Papers

- Crustal helium fluxes and heat flow in the Great Artesian Basin, Australia
T. Torgersen (Groton, Conn., U.S.A.), M.A. Habermehl (Canberra, A.C.T., Australia) and W.B. Clarke (Hamilton, Ont., Canada) 139
- Noble gas elemental abundances in polymorphs of silica
J.G. Mitchell (Newcastle-upon-Tyne, U.K.), P.R. Ineson, M. Davison (Sheffield, U.K.) and R.S. Lawley (Keyworth, U.K.) 153
- Variable $^{199}\text{Hg}/^{202}\text{Hg}$ ratio in stone meteorites and in some of their carbon-rich residues
P. Kumar and P.S. Goel (Kanpur, India) 171
- Effects of devolatilization on the hydrogen isotopic composition of pelitic rocks in the contact aureole of the Duluth Complex, northeastern Minnesota, U.S.A.
E.M. Ripley, B.K. Butler and N.I. Taib (Bloomington, Ind., U.S.A.) 185
- Influence of solution composition and pressure on the rates of oxygen isotope exchange in the system: calcite– H_2O – NaCl at elevated temperatures
D.R. Cole (Oak Ridge, Tenn., U.S.A.) 199
- Kinetic enrichment of stable isotopes in cryogenic calcites
I.D. Clark and B. Lauriol (Ottawa, Ont., Canada) 217
- Oxygen and sulphur isotope compositions as indicators of the origin of Mesozoic and Cenozoic evaporites from Spain
R. Utrilla (Barcelona, Spain), C. Pierre (Paris, France), F. Orti and J.J. Pueyo (Barcelona, Spain) 229
- Sr isotopes as tracers in volcanic-derived clay of Martinique Island (Lesser Antilles): hydrothermal vs. seawater alteration
A. Ferragne, M. Parra and J.C. Pons (Talence, France) 245

⁴⁰ Ar- ³⁹ Ar laser microprobe study of fluids in different colour zones of a hydrothermal scheelite crystal from the Dae Hwa W-Mo mine, South Korea R. Burgess (Glasgow, U.K.), R.P. Taylor (Glasgow, U.K., and Ottawa, Ont., Canada), A.E. Fallick (Glasgow, U.K.) and S.P. Kelley (Glasgow and Milton Keynes, U.K.)	259
⁴⁰ Ar/ ³⁹ Ar dating of very fine-grained samples: An encapsulated-vial procedure to overcome the problem of ³⁹ Ar recoil loss K.A. Foland, F.A. Hubacher (Columbus, Ohio, U.S.A.) and G.B. Arehart (Ann Arbor, Mich., U.S.A.)	269
Neutron dosimetry and fission-track age calibration: insights from intercalibration of uranium and thorium glass dosimeters T. Tagami and S. Nishimura (Kyoto, Japan)	277
<i>Errata</i>	297
<i>Contents Volume 102, 1992</i>	299

